


TEE

MATERIALE: AISI 304 - AISI 304L (J)
AISI 316 - AISI 316L (K)

FINITURA: GREZZA (GR)
LUCIDO EST/INT (LL)
LUCIDO ESTERNO (LE)


ART. 1430 - TEE A SALDARE - SERIE GAS

	DN(ISO) GAS-ASA	10 3/8"	15 1/2"	20 3/4"	25 1"	32 1 1/4"	40 1 1/2"	50 2"	65 2 1/2"	80 3"	90 3 1/2"	100 4"	125 5"
	D. EST N SPESS.	17.2 22 1.5 - 3	21.3 25.4 1.5 - 3	26.9 28.5 1.5 - 3	33.7 38.1 1.5 - 3	42.4 47.6 1.5 - 3	48.3 57.1 1.5 - 3	60.3 76.1 1.5 - 3	76.1 76.1 1.5 - 3	88.9 85.7 1.5 - 3	101.6 86 2 - 3	114.3 105 2 - 3	139.7 124 2 - 4
	DN (ISO) GAS-ASA	150 6"	200 8"	250 10"	300 12"	350 14"	400 16"	450 18"					
	D. EST N SPESS.	168.3 143 2 - 6	219.1 178 2 - 6	273 216 2 - 6	323.9 254 2.5 - 6	355.6 279 2.5 - 6	406.4 305 2.5 - 6	457.2 457 2.5 - 6					

ART. 1432 - TEE A ESTREMITA' A MANDRINARE - SERIE ALIMENTARE

	DIN	10	15	20	25	32	40	50	65	80	100	125	150
	D. EST SPESS N	12 1.5 26	18 1.5 35	22 1.5 40	28 1.5 50	34 1.5 55	40 1.5 60	52 1.5 72	70 2 85	85 2 95	104 2 110	129 2 125	154 2 150
	SMS-BS	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"				
	D. EST SPESS. N	12.7 — —	19.05 1.5 50	25.4 1.5 75	38.1 1.5 90	50.8 1.5 100	63.5 1.5 115	76.1 2 130	101.6 2 150				

ART. 1434 - TEE ESTRUSO (SOLO STAMPATO) ESTREMITA' A SALDARE - SERIE GAS

	DN(ISO) GAS-ASA	10 3/8"	15 1/2"	20 3/4"	25 1"	32 1 1/4"	40 1 1/2"	50 2"	65 2 1/2"	80 3"	90 3 1/2"	100 4"	125 5"
	D. EST N SPESS.	17.2 22 1.5 - 3	21.3 25.4 1.5 - 3	26.9 28.5 1.5 - 3	33.7 38.1 1.5 - 3	42.4 47.6 1.5 - 3	48.3 57.1 1.5 - 3	60.3 76.1 1.5 - 3	76.1 76.1 1.5 - 3	88.9 85.7 1.5 - 3	101.6 86 2 - 3	114.3 105 2 - 3	139.7 124 2 - 4
	DN (ISO) GAS-ASA	150 6"	200 8"	250 10"	300 12"	350 14"	400 16"	450 18"					
	D. EST N SPESS.	168.3 143 2 - 6	219.1 178 2 - 6	273 216 2 - 6	323.9 254 2.5 - 6	355.6 279 2.5 - 6	406.4 305 2.5 - 6	457.2 457 2.5 - 6					

ART. 1436 - TEE ESTRUSO (SOLO STAMPATO) ESTREMITA' A MANDRINARE - SERIE ALIMENTARE

	DIN	10	15	20	25	32	40	50	65	80	100	125	150
	D. EST SPESS N	12 1.5 26	18 1.5 35	22 1.5 40	28 1.5 50	34 1.5 55	40 1.5 60	52 1.5 72	70 2 85	85 2 95	104 2 110	129 2 125	154 2 150
	SMS-BS	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"				
	D. EST SPESS. N	12.7 — —	19.05 1.5 50	25.4 1.5 75	38.1 1.5 90	50.8 1.5 100	63.5 1.5 115	76.1 2 130	101.6 2 150				

SEGUE

TEE
MATERIALE: AISI 304 - AISI 304L AISI 316 - AISI 316L
FINITURA: GREZZA (GR) LUCIDO INT/EST (LL)
LUCIDO EST (LE)
ART. 1438 - TEE A SALDARE RIDOTTO - SERIE GAS (SPESSORE 2 MM)

	DN - ISO GAS-ASA	10 3/8"	15 1/2"	20 3/4"	25 1"	32 1 1/4"	40 1 1/2"	50 2"	65 2 1/2"	80 3"	90 3 1/2"	100 4"	125 5"
	D. EST	—	—	26.9	33.7	42.4	48.3	60.3	76.1	88.9	101.6	114.3	139.7
	d. EST min	—	—	21.3	21.3	21.3	21.3	21.3	21.3	21.3	21.3	21.3	21.3
	d. EST max	—	—	21.3	26.9	33.7	42.4	48.3	60.3	76.1	88.9	101.6	114.3
DN - ISO GAS-ASA	150 6"	200 8"	250 10"	300 12"	350 14"	400 16"	450 18"						
D. EST	168.3	—	—	—	—	—	—						
d. EST min	21.3	—	—	—	—	—	—						
d. EST max	139.7	—	—	—	—	—	—						

ART. 1440 - TEE A MANDRINARE RIDOTTO - SERIE ALIMENTARE (SPESSORE 1.5 - 2)

	DIN	10	15	20	25	32	40	50	65	80	100	125	150
	D. EST	12	18	22	28	34	40	52	70	85	104	129	154
	d. EST min	—	12	12	12	12	12	12	12	12	12	12	12
	d. EST max	—	12	18	22	28	34	40	52	70	85	104	129
SMS-BS	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"					
D. EST	12.7	19.05	25.4	38.1	50.8	63.5	76.2	101.6					
d. EST min	—	—	—	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4
d. EST max	—	—	—	25.4	38.01	50.8	63.5	76.1					

ART. 1442 - CROCE A SALDARE - SERIE GAS

	DN - ISO GAS-ASA	10 3/8"	15 1/2"	20 3/4"	25 1"	32 1 1/4"	40 1 1/2"	50 2"	65 2 1/2"	80 3"	90 3 1/2"	100 4"	125 5"
	D. EST	—	21.3	26.9	33.7	42.4	48.3	60.3	76.1	88.9	101.6	114.3	139.7
	SPESS. N	—	1.5 - 2	1.5 - 3	1.5 - 3	1.5 - 3	1.5 - 3	1.5 - 3	1.5 - 3	1.5 - 3	2 - 3	2 - 3	2 - 4
	N	—	25.4	28.5	38	48	57.5	63.5	85.5	86	86	105	127
DN - ISO GAS-ASA	150 6"	200 8"	250 10"	300 12"	350 14"	400 16"	450 18"						
D. EST	168.3	219.1	273	323.9	355.6	406.4	457.2						
SPESS. N	2 - 6	2 - 6	2 - 6	2.5 - 6	2.5 - 6	2.5 - 6	2.5 - 6						
N	140	178	216	254	279	305	457						


ART. 1444 - CROCE A MANDRINARE - SERIE ALIMENTARE

	DIN	10	15	20	25	32	40	50	65	80	100	125	150
	D. EST	12	18	22	28	34	40	52	70	85	104	129	154
	SPESS. N	1.5	1.5	1.5	1.5	1.5	1.5	1.5	2	2	2	2	2
	N	26	35	40	50	55	60	72	85	95	110	125	150
SMS-BS	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"					
D. EST	—	19.05	25.4	38.1	50.8	63.5	76.2	101.6					
SPESS. N	—	1.5	1.5	1.5	1.5	1.5	2	2	2	2	2	2	2
N	—	50	75	90	100	115	130	150					


ART. 1446 - Y A SALDARE - SERIE GAS

	DN - ISO GAS-ASA	10 3/8"	15 1/2"	20 3/4"	25 1"	32 1 1/4"	40 1 1/2"	50 2"	65 2 1/2"	80 3"	90 3 1/2"	100 4"	125 5"
	D. EST	—	21.3	26.9	33.7	42.4	48.3	60.3	76.1	88.9	101.6	114.3	139.7
	SPESS. N	—	1.5 - 2	1.5 - 3	1.5 - 3	1.5 - 3	1.5 - 3	1.5 - 3	1.5 - 3	1.5 - 3	2 - 3	2 - 3	2 - 4
	N	—	60	65	70	75	80	85	90	95	—	100	120
DN - ISO GAS-ASA	150 6"	200 8"	250 10"	300 12"	350 14"	400 16"	450 18"						
D. EST	168.3	219.1	273	323.9	355.6	406.4	457.2						
SPESS. N	2 - 6	2 - 6	2 - 6	2.5 - 6	2.5 - 6	2.5 - 6	2.5 - 6						
N	130	—	—	—	—	—	—						


SEGUE

TEE
MATERIALE: AISI 304 - AISI 304L AISI 316 - AISI 316L
FINITURA: GREZZA (GR) LUCIDO INT/EST (LL)
LUCIDO EST (LE)
ART. 1448 - Y A MANDRINARE - SERIE ALIMENTARE



DIN	10	15	20	25	32	40	50	65	80	100	125	150
D. EST	12	18	22	28	34	40	52	70	85	104	129	154
SPESS. N	1.5	1.5	1.5	1.5	1.5	1.5	1.5	2	2	2	2	2
	35	40	45	50	56	67	72	85	98	110	—	—
SMS-BS	1/2"	3/4"	1"	1½"	2"	2½"	3"	4"				
D. EST	—	—	25.4	38.1	50.8	63.5	76.2	101.6				
SPESS. N	—	—	1.5	1.5	1.5	1.5	2	2				
	—	—	40	55	75	85	85	110				

ART. 1450 - TEE 45° A SALDARE - SERIE GAS



DN - ISO GAS-ASA	10 3/8"	15 1/2"	20 3/4"	25 1"	32 1¼"	40 1½"	50 2"	65 2½"	80 3"	90 3½"	100 4"	125 5"
D. EST	17.2	21.3	26.9	33.7	42.4	48.3	60.3	76.1	88.9	101.6	114.3	139.7
SPESS. L	1.5 - 2	1.5 - 2	1.5 - 3	1.5 - 3	1.5 - 3	1.5 - 3	1.5 - 3	1.5 - 3	1.5 - 3	2 - 3	2 - 3	2 - 4
	22	25.4	28.5	38.1	47.6	57.1	63.5	76.1	85.7	95.2	104.7	—
DN - ISO GAS-ASA	150 6"	200 8"	250 10"	300 12"	350 14"	400 16"	450 18"					
D. EST	168.3	219.1	273	323.9	355.6	406.4	457.2					
SPESS. L	2 - 6	2 - 6	2 - 6	2.5 - 6	2.5 - 6	2.5 - 6	2.5 - 6					
	—	—	—	—	—	—	—					

ART. 1452 - TEE 45° A MANDRINARE - SERIE ALIMENTARE


DIN	10	15	20	25	32	40	50	65	80	100	125	150
D. EST	12	18	22	28	34	40	52	70	85	104	129	154
SPESS. L	1.5	1.5	1.5	1.5	1.5	1.5	1.5	2	2	2	2	2
	—	—	—	50	56	67	72	85	98	130	—	—
SMS-BS	1/2"	3/4"	1"	1½"	2"	2½"	3"	4"				
D. EST	12.7	19.05	25.4	38.1	50.8	63.5	76.2	101.6				
SPESS. L	1.5	1.5	1.5	1.5	1.5	1.5	2	2				
	—	—	—	—	—	—	—	—				

ART. 1454 - TEE CON CURVA 90° A MANDRINARE - SERIE ALIMENTARE


DIN	10	15	20	25	32	40	50	65	80	100	125	150
D. EST	12	18	22	28	34	40	52	70	85	104	129	154
SPESS. L	1.5	1.5	1.5	1.5	1.5	1.5	1.5	2	2	2	2	2
	—	—	—	140	160	170	195	220	240	380	—	—
SMS-BS	1/2"	3/4"	1"	1½"	2"	2½"	3"	4"				
D. EST	12.7	19.05	25.4	38.1	50.8	63.5	76.2	101.6				
SPESS. L	1.5	1.5	1.5	1.5	1.5	1.5	2	2				
	—	—	—	—	—	—	—	—				

ART. 1456 - TEE A SALDARE "NORMALE" - DA TUBO SCH


DN - ISO GAS-ASA	10 3/8"	15 1/2"	20 3/4"	25 1"	32 1¼"	40 1½"	50 2"	65 2½"	80 3"	90 3½"	100 4"	125 5"
D. EST	—	21.3	26.7	33.4	42.2	48.3	60.3	73	88.9	101.6	114.3	141.3
SPESS. A	—	1.6 - 3	1.6 - 3	1.6 - 3	1.6 - 4	1.6 - 4	1.6 - 4	2 - 5.2	2 - 5.2	2 - 5.7	2 - 6	2 - 6
	—	25.4	28.6	38.1	47.6	57.2	63.5	76.2	85.7	95.3	104.8	—
DN - ISO GAS-ASA	150 6"	200 8"	250 10"	300 12"	350 14"	400 16"	450 18"					
D. EST	168.3	219.1	273	323.9	—	—	—					
SPESS. A	3 - 7	3 - 8	3.4 - 9	3.4 - 13	—	—	—					
	—	—	—	—	—	—	—					