


**VALVOLE A SFERA A DUE VIE (MASSELLO)**

**MATERIALE:** AISI 304 - AISI 304L (J)  
AISI 316 - AISI 316L (K)

**FINITURA:** LUCIDA


**ART. 600 - V.S. MORSETTO/MORSETTO**



Mor	40	40	50	50	60	70	80
A	32	40	40	50	50	65	65
B	65	65	76	76	86	97	108
C	100	110	110	125	125	152	152
Mor	80	100	100	100	120		
A	76	76	100	100			
B	108	132	132	156			
C	170	170	190	190			




**ART. 602 - V.S. GAS FEMMINA/MORSETTO**




Mor	40	40	50	50	60	70	80
A	1¼	1½	1½	2"	2"	2½	2½
B	65	65	76	76	86	97	108
C	99	104	104	120	120	151	151
Mor	80	100	100	120			
A	3"	3"	4"	4"			
B	108	132	132	156			
C	160	160	190	190			

**ART. 604 - V.S. GAS MASCHIO/MORSETTO**




Mor	40	40	50	50	60	70	80
A	1¼	1½	1½	2"	2"	2½	2½
B	65	65	76	76	86	97	108
C	104	111	111	129	129	161	161
Mor	80	100	100	120			
A	3"	3"	4"	4"			
B	108	132	132	156			
C	159	159	190	190			

**ART. 606 - V.S. FLANGIA PN 6/MORSETTO**




Mor	40	40	50	50	60	70	80
FL	32	40	40	50	50	65	65
D	65	65	76	76	86	97	108
C	113	126	126	138	138	171	171
Mor	80	100	100				
FL	80	80	100				
D	108	132	132				
C	180	180	210				

**ART. 608 - V.S. FLANGIA PN 10/MORSETTO**




Mor	40	40	50	50	60	70	80
FL	32	40	40	50	50	65	65
D	65	65	76	76	86	97	108
C	113	126	126	138	138	171	171
Mor	80	100	100				
FL	80	80	100				
D	108	132	132				
C	180	180	210				

**ART. 610 - V.S. DIN FEMMINA/MORSETTO**




Mor	40	40	50	50	60	70	80
DIN	32	40	40	50	50	65	80
D	65	65	76	76	86	97	108
C	100	110	110	125	125	152	170
Mor	100						
DIN	100						
D	132						
C	190						

**ART. 612 - V.S. DIN MASCHIO GIRELLA/MORSETTO**




Mor	40	40	50	50	60	70	80
DIN	32	40	40	50	50	65	80
D	65	65	76	76	86	97	108
C	110	120	120	135	135	164	170
Mor	100						
DIN	100						
D	132						
C	190						

**ART. 614 - V.S. SALDARE/SALDARE**



DN	25	32	40	50	60	65	80
B	25	32	39	49	49	65	75
C	87	110	120	132	132	170	185
DN	100						
B	98						
C	215						

**ART. 616 - V.S. FLANGIA PN 6/FLANGIA PN 6**



DN	25	32	40	50	65	80	100
B	25	32	39	49	65	75	98
C	91	110	127	138	172	175	233
DN							
B							
C							

**SEGUE VALVOLE A SFERA A DUE VIE (MASSELLO)**
**MATERIALE: AISI 304 - AISI 304L (J)  
AISI 316 - AISI 316L (K)**
**FINITURA: LUCIDA**
**ART. 618 - V.S. FLANGIA PN 10/FLANGIA PN 10**

	DN	25	32	40	50	65	80	100
	B	25	32	39	49	65	75	98
	C	91	110	127	138	172	175	233

**ART. 620 - V.S. FEMMINA GAS/FEMMINA GAS**

	DN	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"
	B	15	15	15	20	25	32	39
	C	60	60	60	69	76	94	102
	DN	2"	2 1/2"	3"	4"			
	B	49	65	75	98			
	C	116	148	153	185			

**ART. 622 - V.S. MASCHIO GAS/MASCHIO GAS**

	DN	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"
	B	15	15	15	20	25	32	39
	C	80	80	80	83	87	110	120
	DN	2"	2 1/2"	3"	4"			
	B	49	65	75	98			
	C	132	170	185	215			

**ART. 624 - V.S. MASCHIO GAS/FEMMINA GAS**

	DN	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"
	B	15	15	15	20	25	32	39
	C	70	70	70	76	82	102	110
	DN	2"	2 1/2"	3"	4"			
	B	49	65	75	98			
	C	124	160	170	200			

**ART. 626 - V.S. FEMMINA GAS/DIN FEMMINA**

	DIN	25	32	40	50	65	80	100
	Gas	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
	A	84	107	113	126	154	159	191

**ART. 628 - V.S. FLANGIA PN 6-10/FEMMINA GAS**

	Gas	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"
	FL	15	20	25	32	40	50	65
	A	75	80	89	103	115	139	155
	Gas	3"	4"					
	FL	80	100					
	A	163	200					

**ART. 630 - V.S. DIN FEMMINA/DIN FEMMINA**

	DN	15	20	25	32	40	50	65
	A	34	44	52	58	65	78	95
	B	15	20	25	32	39	49	65
	C	84	99	99	100	110	125	152
	DN	80	100					
	A	110	130					
	B	75	98					
	C	170	190					

**ART. 632 - V.S. DIN MASCHIO GIRELLA/DIN FEMMINA**


	DN	15	20	25	32	40	50	65
	A	34	44	52	58	65	78	95
	B	15	20	25	32	39	49	65
	DN	80	100					
	A	110	130					
	B	75	98					

**ART. 634 - V.S. FLANGIA PN 6 - 10/DIN FEMMINA**


	DN	15	20	25	32	40	50	65
	A	34	44	52	58	65	78	95
	B	15	20	25	32	39	49	65
	C			90	105	118	131	162
	DN	80	100					
	A	110	130					
	B	75	98					
	C	172	211					

**ART. 636 - MANIGLIA x V.S. IMPUGNATURA PLASTICA**


	DN	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"
	Din			15	20	25	32	40
	DN	2"	2 1/2"	3"	4"			
	Din	50	65	80	100			

**SEGUE VALVOLE A SFERA A DUE VIE (MASSELLO)**
**MATERIALE: AISI 304 - AISI 304L (J)  
AISI 316 - AISI 316L (K)**
**FINITURA: LUCIDA**
**ART. 638 - MANIGLIA x V.S. IMPUGNATURA INOX**



DN	1/4"	3/8	1/2"	3/4	1"	1 1/4	1 1/2
Din			15	20	25	32	40
DN	2"	2 1/2	3"	4"			
Din	50	65	80	100			

**ART. 640 - MANIGLIA x V.S. FLANGIATA**



DN	1/4"	3/8	1/2"	3/4	1"	1 1/4	1 1/2
Din			15	20	25	32	40
DN	2"	2 1/2	3"	4"			
Din	50	65	80	100			

**ART. 642 - KIT PTFE + OR PER VALVOLA A SFERA**



DN	1/4"	3/8	1/2"	3/4	1"	1 1/4	1 1/2
Din			15	20	25	32	40
DN	2"	2 1/2	3"	4"			
Din	50	65	80	100			

**ART. 644 - ADATTATORE ISO x COMANDO**



DN	1/4"	3/8	1/2"	3/4	1"	1 1/4	1 1/2
Din			15	20	25	32	40
ISO	FO3	FO3	FO3	FO3	FO4	FO4	FO5
DN	2"	2 1/2	3"	4"			
Din	50	65	80	100			
ISO	FO6	FO7	FO7	F10			

**ART. 554 - ATTUATORE PNEUMATICO D.E. ORIZZONT.**



DN	1/4"	3/8	1/2"	3/4	1"	1 1/4	1 1/2
Din			15	20	25	32	40
VB			32	32	52	63	63
OM			15	15	30	30	60
DN	2"	2 1/2	3"	4"			
Din	50	65	80	100			
VB	85	85	100	100			
OM	60	120	240	240			

**ART. 557 - KIT 2 FINE CORSA ELETTROMECCANICI**



DN	1/4"	3/8	1/2"	3/4	1"	1 1/4	1 1/2
DN	2"	2 1/2	3"	4"			

**ART. 650 - V.S. SANITARIA DIN FEMMINA/DIN FEMM.**



DN	15	20	25	32	40	50	65
A	15	20	25	32	39	49	60
B	34	44	52	58	65	78	95
C	72	83	95	116	126	141	159
DN	80	100					
A	75	98					
B	110	130					
C	169	200					

**ART. 652 - V.S. SANITARIA DIN MASCHIO G./DIN FEMM.**


DN	15	20	25	32	40	50	65
A			115	125	140	155	180
DN	80	100					
A	200	225					

**ART. 654 - V.S. SANITARIA FLANGIA/DIN FEMMINA**


DN	25	32	40	50	65	80	100
A	25	32	39	49	60	75	98
B	52	58	65	78	95	110	139
C	115	125	140	155	180	200	225

**ART. 656 - KIT TENUTE PTFE + OR x VALV. SANITARIA**


DN	15	20	25	32	40	50	65
DN	80	100					