




**DIFFUSORI DI LAVAGGIO A SFERA**
**MATERIALE: AISI 304 - AISI 316**
**R=RAGGIO AZIONE**
**P=PORTATA MINIMA (LT/1')**
**ART. 980 - INTERAMENTE FORATA A SALDARE**

	D	28	40	50	65	65	90
	A	14	22	22	28	32	38
	R	1.2	1	1.2	1.6	1.6	1.6
	P	18	35	35	70	70	80
	D	120					
	A	60					
R	2.4						
P	135						



**ART. 982 - FORI INFERIORI A SALDARE**

	D	28	40	50	65	65	90
	A	14	22	22	28	32	38
	D	120					
	A	60					


**ART. 984 - FORI SUPERIORI A SALDARE**

	D	28	40	50	65	65	90
	A	14	22	22	28	32	38
	D	120					
	A	60					


**ART. 986 - FORI LATERALI A SALDARE**

	D	28	40	50	65	65	90
	A	14	22	22	28	32	38
	D	120					
	A	60					


**ART. 988 - CIECA A SALDARE**

	D	28	40	50	65	65	90
	A	14	22	22	28	32	38
	D	120					
	A	60					


**ART. 990 - INTERAMENTE FORATA FEMMINA GAS**

	D	28	40	50	65	90	120
	A	1/4"	3/8	1/2"	3/4	1"	2"
	R	1.2	1	1.2	1.6	2	2.4
	P	18	35	35	80	100	135
	D	120					
	A	60					


**ART. 992 - FORI SUPERIORI FEMMINA GAS**

	D	28	40	50	65	90	120
	A	1/4"	3/8	1/2"	3/4	1"	2"
	R	1.2	1	1.2	1.6	2	2.4
	P	18	35	35	80	100	135
	D	120					
	A	60					

**ART. 994 - FORI INFERIORI FEMMINA GAS**

	D	28	40	50	65	90	120
	A	1/4"	3/8	1/2"	3/4	1"	2"
	D	120					
	A	60					

**ART. 996 - SFERA ROTANTE FORI TOTALI**

	DN	3/4	3/4	1 1/4			
	A	35	45	65			
	R	2	2	3			
	P	100	100	260			
	D	120					
	BAR	2	2	2			