


## RACCORDERIA SERIE DIN 11851

MATERIALE: AISI 304 - AISI 316L  
FINITURA LUCIDA


### ART. 2 - RACCORDO COMPLETO A MANDRINARE



DN	10	15	20	25	32	40	50
A	38	44	54	63	70	78	92
B	34	35	37	43	49	51	54
D	12	18	22	28	34	40	52
DN	60	65	80	90	100	125	150
A	100	112	127	138	148	178	209
B	60	60	71	71	85	75	90
D	60	70	85	90	104	129	154




### ART. 4 - RACCORDO FEMMINA A MANDRINARE




DN	10	15	20	25	32	40	50
A	28	34	44	52	58	65	78
B	21	21	24	28	31	32	34
D	12	18	22	28	34	40	52
DN	60	65	80	90	100	125	150
A	85	95	110	120	130	160	190
B	39	38	43	44	52	46	50
D	60	70	85	90	104	129	154

### ART. 6 - RACCORDO MASCHIO A MANDRINARE




DN	10	15	20	25	32	40	50
A	22	28	36	43	49	55	67
B	17	17	18	21	24	25	27
D	12	18	22	28	34	40	52
DN	60	65	80	90	100	125	150
A	76	85	99	111	120	150	176
B	31	32	36	43	43	34	37
D	60	70	85	90	104	129	154

### ART. 8 - RACCORDO FEMMINA A SALDARE (GRS)




DN	10	15	20	25	32	40	50
A	28	34	44	52	58	65	78
B	21	21	24	28	31	32	34
D	10	15	19	26	31	38	49
DN	60	65	80	90	100	125	150
A	85	95	110	120	130	160	190
B	39	38	43	44	52	46	50
D	56	66	80	88	98	125	150

### ART. 10 - RACCORDO MASCHIO A SALDARE (GRS)




DN	10	15	20	25	32	40	50
A	22	28	36	43	49	55	67
B	17	17	18	21	24	25	27
D	10	15	19	26	31	38	49
DN	60	65	80	90	100	125	150
A	76	85	99	111	120	150	176
B	31	32	36	43	43	34	37
D	56	66	80	88	98	125	150

### ART. 12 - RACC. FEMMINA A SALDARE DI TESTA




DN	10	15	20	25	32	40	50
A	28	34	44	52	58	65	78
B	21	21	24	28	31	32	34
D	12	18	22	28	34	40	52
DN	60	65	80	90	100	125	150
A	85	95	110	120	130	160	190
B	39	38	43	44	52	46	50
D	60	70	85	93	101	129	154

### ART. 14 - RACC. MASCHIO A SALDARE DI TESTA




DN	10	15	20	25	32	40	50
A	22	28	36	43	49	55	67
B	21	21	24	28	31	32	34
D	12	18	22	28	34	40	52
DN	60	65	80	90	100	125	150
A	76	85	99	111	120	150	176
B	39	38	43	44	52	46	50
D	60	70	85	93	101	129	154

### ART. 16 - GUARNIZIONE ALIMENTARE NBR\*



DN	10	15	20	25	32	40	50
A	20	26	33	40	46	52	64
B	4	4	4	5	5	5	5
D	12	18	23	30	36	42	54
DN	60	65	80	90	100	125	150
A	72	81	95	104	114	142	167
B	5	5	5	5	6	7	7
D	62	71	78	94	104	130	155

### ART. 18 - GUARNIZIONE PIANA PER GIRELLA CIECA



DN	10	15	20	25	32	40	50
A	27	33	43	51	57	64	77
B	3	3	3	3	3	3	3
DN	60	65	80	90	100	125	150
A	84	94	110	120	130	160	190
B	3	3	3	3	3	3	3

\* DISPONIBILE IN EPDM ART. 16E ; SILICONE ART. 16S ; VITON ART. 16V ; TEFLON ART. 16T.

SEGUE

**RACCORDERIA SERIE DIN 11851**
**MATERIALE: AISI 304 - AISI 316L  
FINITURA LUCIDA**

ART. 20 -	GIRELLA DIN							
	DN	10	15	20	25	32	40	50
	A	38	44	54	63	70	78	92
	B	18	18	21	21	21	21	22
	DN	60	65	80	90	100	125	150
	A	100	112	127	138	148	178	209
	B	25	25	30	30	31	34	40

ART. 22 -	GIRELLA DIN CIECA							
	DN	10	15	20	25	32	40	50
	A	38	44	54	63	70	78	92
	B	18	18	21	21	21	21	22
	DN	60	65	80	90	100	125	150
	A	100	112	127	138	148	178	209
	B	25	25	30	30	31	34	40

ART. 24 -	GIRELLA CIECA DIN CON CATENELLA							
	DN	10	15	20	25	32	40	50
	A	38	44	54	63	70	78	92
	B	18	18	21	21	21	21	22
	DN	60	65	80	90	100	125	150
	A	100	112	127	138	148	178	209
	B	25	25	30	30	31	34	40

ART. 26 -	TAPPO MASCHIO CONICO							
	DN	10	15	20	25	32	40	50
	A	22	28	36	43	49	55	67
	B	12	12	12	14	14	14	15
	DN	60	65	80	90	100	125	150
	A	76	85	99	111	120	150	176
	B	17	17	17	19	21	22	24

ART. 28 -	RIDUZ. DIN MASCHIO/MANDRINARE CONC.							
	DN	32	40	40	50	50	50	60
	C	28	28	34	28	34	40	52
	A	49	55	55	67	67	67	70
	B	25	25	28	28	28	31	33
	DN	65	65	65	65	80	80	100
	C	28	34	40	52	52	65	85
	A	85	85	85	85	99	99	120
	B	32	32	32	33	33	33	41

ART. 30 -	RIDUZ. DIN MASCHIO/MANDRINARE ECC.							
	DN	32	40	50	65	65	80	80
	C	28	28	40	40	52	52	70
	A	49	55	67	85	85	99	99
	B	22	22	26	26	28	32	32
	DN	100	100					
	C	70	85					
	A	120	120					
	B	32	32					


ART. 32 -	RIDUZ. DIN FEMMINA/MANDRINARE CONC.							
	DN	32	40	40	50	50	50	50
	C	28	28	34	28	34	40	40
	A	58	65	65	78	78	78	95
	B	28	28	30	34	34	35	36
	DN	65	80	80	100			
	C	52	52	70	85			
	A	95	110	110	130			
	B	40	42	46	49			

ART. 34 -	TAPPO FEMMINA DI CHIUSURA							
	DN	20	25	32	40	50	60	65
	A	44	52	58	65	70	85	95
	B	24	24	24	24	24	24	26
	DN	80	90	100	125	150		
	A	110	120	130	160	190		
	B	30	30	30	40	40		


ART. 36 -	PORTAGOMMA MASCHIO							
	DN	20	25	32	40	50	60	65
	A	36	43	49	55	67	76	85
	B	38	62	65	75	90	90	100
	DN	80	90	100				
	A	99	111	120				
	B	120	120	120				

ART. 38 -	PORTAGOMMA FEMMINA							
	DN	20	25	32	40	50	60	65
	A	44	52	58	65	78	85	95
	B	44	67	70	80	95	95	105
	DN	80	90	100				
	A	110	120	130				
	B	125	125	125				


SEGUE

**RACCORDERIA SERIE DIN 11851**
**MATERIALE: AISI 304 - AISI 316L  
FINITURA LUCIDA**
**ART. 40 - RIDUZ. DIN FEMMINA/FIL MASCHIO GAS**



DN	10	15	20	25	32	40	40
C	3/8	1/2"	3/4	1"	1 1/4	1 1/4	1 1/2
A	28	34	44	55	58	65	65
B	40	40	42	48	48	50	50
DN	50	50	65	80	100		
C	1 1/2	2"	2 1/2	3"	4"		
A	67	78	95	110	130		
B	65	52	56	66	72		

**ART. 42 - RIDUZ. DIN FEMMINA/FIL. FEMMINA GAS**



DN	10	15	20	25	32	40	40
C	3/8	1/2"	3/4	1"	1 1/4	1 1/4	1 1/2
A	28	34	44	55	58	65	65
B	40	40	42	48	48	50	50
DN	50	50	65	80	100		
C	1 1/2	2"	2 1/2	3"	4"		
A	67	78	95	110	130		
B	65	52	56	66	72		

**ART. 44 - RIDUZ. DIN MASCHIO/FIL MASCHIO GAS**



DN	10	15	20	25	32	40	40
C	3/8	1/2"	3/4	1"	1 1/4	1 1/4	1 1/2
A	22	28	36	43	49	55	55
B	—	—	—	42	55	55	55
DN	50	50	65	80	100		
C	1 1/2	2"	2 1/2	3"	4"		
A	67	67	85	99	120		
B	65	65	65	65	80		

**ART. 46 - RIDUZ. DIN FEMMINA/DIN FEMMINA CONC.**



DN	32	40	40	50	50	50	65
dn	25	25	32	25	32	40	50
B	88	108	94	111	125	109	135
DN	80	80	100	100			
dn	50	65	65	80			
B	122	129	121	128			

**ART. 48 - RIDUZ. DIN MASCHIO/DIN MASCHIO CONC.**



DN	32	40	40	50	50	50	65
dn	25	25	32	25	32	40	50
B	80	100	96	114	118	102	128
DN	80	80	100	100			
dn	50	65	65	80			
B	111	117	112	115			

**ART. 50 - RIDUZ. DIN MASCHIO/DIN FEMMINA CONC.**



DN	32	40	40	50	50	50	65
dn	25	25	32	25	32	40	50
B	84	108	94	111	125	109	135
DN	80	80	100	100			
dn	50	65	65	80			
B	114	121	116	123			

**ART. 52 - RIDUZ. DIN MASCHIO/DIN MASCHIO ECC.**



DN	32	40	40	50	50	50	65
dn	25	25	32	25	32	40	50
B	116	123	115	143	133	122	143
DN	80	80	100	100			
dn	50	65	65	80			
B	136	136	136	136			

**ART. 54 - CURVA 45° DIN FEMMINA/DIN FEMMINA**


DN	25	32	40	50	60	65	80
A	96	120	129	130	—	146	180
B	52	58	65	78	—	95	110
C	52	58	65	78	—	95	110
DN	100						
A	192						
B	130						
C	130						

**ART. 56 - CURVA 45° DIN MASCHIO/DIN FEMMINA**


DN	25	32	40	50	60	65	80
A	96	120	129	130	—	146	180
B	52	58	65	78	—	95	110
C	63	70	78	92	—	112	127
DN	100						
A	192						
B	130						
C	148						

**ART. 58 - CURVA 45° DIN MASCHIO/DIN MASCHIO**


DN	25	32	40	50	60	65	80
A	96	120	129	130	—	146	180
B	63	70	78	92	—	112	127
C	63	70	78	92	—	112	127
DN	100						
A	192						
B	148						
C	148						

SEGUE

**RACCORDERIA SERIE DIN 11851**
**MATERIALE: AISI 304 - AISI 316L  
FINITURA LUCIDA**
**ART. 60 - CURVA 90° DIN FEMMINA/DIN FEMMINA**

	DN	25	32	40	50	60	65	80
	A	72	72	82	93	—	105	115
	DN	100						
	A	130						

**ART. 62 - CURVA 90° DIN MASCHIO/DIN FEMMINA**

	DN	25	32	40	50	60	65	80
	A	72	72	82	93	—	105	115
	B	65	70	75	86	—	97	107
	DN	100						
A	130							
B	120							

**ART. 64 - CURVA 90° DIN MASCHIO/DIN MASCHIO**

	DN	25	32	40	50	60	65	80
	B	65	70	75	86	—	97	107
	DN	100						
	B	120						

**ART. 66 - CURVA 180° DIN FEMMINA/DIN FEMMINA**

	DN	25	32	40	50	60	65	80
	A	72	77	82	93	—	105	115
	I	100	112	126	144	—	170	186
	DN	100						
A	130							
I	220							

**ART. 68 - CURVA 180° DIN MASCHIO/DIN MASCHIO**

	DN	25	32	40	50	60	65	80
	B	65	70	75	86	—	97	107
	I	100	112	126	144	—	170	186
	DN	100						
B	120							
I	220							

**ART. 70 - CURVA 90° RIDUZ. DIN MASCHIO/MASCHIO**

	DN	25	32	40	50	60	65	80
	dn	25	25	32	25	32	40	50
	DN	80	80	100	100			
	dn	50	65	65	80			

**ART. 72 - CURVA 90° RIDUZ. DIN MASCHIO/FEMMINA**

	DN	25	32	40	50	60	65	80
	dn	25	25	32	25	32	40	50
	DN	80	80	100	100			
	dn	50	65	65	80			

**ART. 74 - CURVA 90° DIN FEMMINA/FLANGIA PN 10**

	DN	25	32	40	50	60	65	80
	A							
	DN	100						
A								

**ART. 76 - TEE DIN FEMM/FEMM/FEMM**

	DN	25	32	40	50	60	65	80
	A	72	77	82	93	—	105	115
	DN	100						
A	130							

**ART. 78 - TEE DIN MASCHIO/MASCHIO/MASCHIO**

	DN	25	32	40	50	60	65	80
	B	65	70	75	86	—	97	107
	DN	100						
B	120							

SEGUE

**RACCORDERIA SERIE DIN 11851**
**MATERIALE: AISI 304 - AISI 316L  
FINITURA LUCIDA**
**ART. 80 - TEE CON DERIVAZIONE CURVA DIN M/F/F**

	DN	25	32	40	50	60	65	80
	DN	100						

**ART. 82 - TEE A DELTA DIN F/F/F**

	DN	25	32	40	50	60	65	80
	DN	100						

**ART. 84 - TEE A "Y" DIN F/F/F**

	DN	25	32	40	50	60	65	80
	DN	100						

**ART. 86 - CROCE DIN F/F/F**

	DN	25	32	40	50	60	65	80
	DN	100						

**ART. 88 - CHIAVE UNIVERSALE PER RACCORDI DIN**

	DN	25	32	40	50	60	65	80
	DN	100						

**ART. 90 - CHIAVE UNIVERSALE STAMPATA PER DIN**

	DN	25	32	40	50	60	65	80
	A	55	55	55	55	55	55	55
	B	255	255	255	255	255	255	255
DN	100							
A	55							
B	255							

**ART. 92 - MANDRINO ALLARGATUBI**

	DN	25	32	40	50	65	80	100

**ART. 94 - MORSETTO PER MANDRINARE**

	DN	25	32	40	50	65	80	100

**ART. 96 - LEVA A CRICCO PER MANDRINO**

	DN	25	32	40	50	65	80	100

**ART. 98 - MORSETTO TAGLIATUBI**

	DN	25	32	40	50	65	80	100